

**Mat.
Works**
ENTRANCE
SOLUTIONS


Entrance Matting

Primary and secondary
matting solutions



PARAGON
CARPET TILES

Part of the
National
Floorcoverings
Group



DDA Coir

DDA COIR

Description:

Our Mat.Works DDA Coir is hard-wearing and satisfies all official commercial requirements, which is unique for a coir product. It complies with the rigorous European Fire Safety requirements (Cfl-S1) and has a wear classification of Class 32 (BS EN 1307) Coir is a natural material which looks great, offers excellent durability and also absorbs a great deal of dirt and moisture, which means you will save on cleaning costs.

The yarn is mechanically spun to ensure a uniform and regular pattern with minimal fibre loss.

This product can absorb up to eight litres of water per square metre, producing unrivalled performance in this product sector.

This product is constructed using an unique glass scrim which means that this product is hardly affected at all by stretching and is extremely stable. That means it is also ideal for wheelchair users and presents no problems at all for people on crutches or wearing high heeled shoes.

Unique glass scrim layer means DDA Coir is more stable, more densely packed than other products - making it ideal to handle wheeled traffic, crutches and high heels.

Technical data:

Pile material	100% machine spun coir yarn
Backing	PVC with integrated stability scrim
Yarn construction	Velour
Pattern	Uni
Colours	1
Pile weight ISO 8543	± 3.50 kg m ²
Total weight ISO 8543	± 6.85 kg m ²
Pile height ISO 1766	14 mm
Total height ISO 1765	17 mm
Number of stitches ISO 1763	± 41.800/m ²
Wearing class EN 1963	32
Comfort EN 1307	LC5
Light fastness ISO 105 B02	> 6
Water fastness ISO 105 B01	3-4
Rubbing fastness ISO 105 X12	3-4
Salt water ISO 105 E02	3-4
Shampoo BS 1006	3-4
Organic solvents ISO 105 X05	3-4
Absorption capacity TNO W6034	17 mm: ± 8,4 l/m ²
Flammability	(BS6307) Methanamine Pill Test - Pass
BS EN 13501	Cfl
Slip resistance EN 13893	DS
Static charge ISO 6356	2,0 kV
Declaration of performance	Available
Sizes rolls	200 cm
Roll length	± 10 m



To place your order

+44 (0)1709 763839 | sales@mat-works.co.uk

More entrance matting solutions & samples

mat-works.co.uk | samples@mat-works.co.uk

Mat.Works

Farfield Park, Manvers,
Wath-upon-Deerne,
Rotherham S63 5DB

